



UNMATCHED CHOICES

NARROW CORRUGATION

FARM GRAIN BINS (SILOS)

Diameter Feet (Meters)	Model Number	Capacity With 13-Inch (330-mm) Floor				Maximum Capacity*		Eave Height		Overall Height	
		Level Grain		Peaked Grain		Bushels	M <sup>3</sup>	Feet/Inches	Meters	Feet/Inches	Meters
		Bushels	M <sup>3</sup>	Bushels	M <sup>3</sup>						
<b>12 FT.</b> (3.7 M)	7-01203	659	21.8	763	25.2	866	28.6	8'-2"	2.5	11'-1"	3.4
	7-01204	912	30.1	1016	33.5	1119	36.9	10'-10"	3.3	13'-9"	4.2
	7-01205	1165	38.5	1269	41.9	1372	45.3	13'-6"	4.1	16'-5"	5.0
	7-01206	1418	46.8	1522	50.3	1625	53.7	16'-2"	4.9	19'-1"	5.8
	7-01207	1671	55.2	1775	58.6	1878	62.0	18'-10"	5.7	21'-9"	6.6
	7-01208	1924	63.5	2028	67.0	2131	70.4	21'-6"	6.5	24'-5"	7.4
	7-01209	2177	71.9	2281	75.3	2384	78.7	24'-2"	7.4	27'-1"	8.3
	7-01210	2430	80.2	2534	83.7	2637	87.1	26'-10"	8.2	29'-9"	9.1
<b>15 FT.</b> (4.6 M)	7-01504	1425	47.0	1628	53.7	1788	59.0	10'-10"	3.3	14'-7"	4.5
	7-01505	1820	60.1	2022	66.8	2183	72.1	13'-6"	4.1	17'-3"	5.3
	7-01506	2216	73.2	2419	79.8	2579	85.1	16'-2"	4.9	19'-11"	6.1
	7-01507	2611	86.2	2814	92.8	2974	98.2	18'-10"	5.7	22'-7"	6.9
	7-01508	3006	99.3	3207	106.3	3369	111.5	21'-6"	6.6	25'-3"	7.7
	7-01509	3402	112.3	3610	119.0	3769	124.3	24'-2"	7.4	27'-11"	8.5
	7-01510	3797	125.4	3999	132.1	4160	137.4	26'-10"	8.2	30'-7"	9.3
	7-01511	4193	138.4	4396	145.1	4556	150.4	29'-6"	9.0	33'-3"	10.1
7-01512	4588	151.5	4792	158.2	4951	163.5	32'-2"	9.8	35'-11"	11.0	
<b>18 FT.</b> (5.5 M)	7-01804	2052	67.7	2359	79.1	2631	86.8	10'-10"	3.3	15'-6"	4.7
	7-01805	2621	86.5	3109	98.1	3300	105.7	13'-6"	4.1	18'-2"	5.5
	7-01806	3191	105.3	3539	116.9	3770	124.5	16'-2"	4.9	20'-10"	6.3
	7-01807	3760	124.1	4108	135.7	4339	143.3	18'-10"	5.7	23'-6"	7.2
	7-01808	4329	142.9	4676	154.5	4908	162.1	21'-6"	6.6	26'-2"	8.0
	7-01809	4899	161.7	5247	173.3	5478	180.9	24'-2"	7.4	28'-10"	8.8
	7-01810	5468	180.5	5816	192.1	6047	199.7	26'-10"	8.2	31'-6"	9.6
	7-01811	6037	199.3	6384	210.9	6616	218.5	29'-6"	9.0	34'-2"	10.4
7-01812	6607	218.1	6944	229.8	7186	237.3	32'-2"	9.8	36'-10"	11.2	
<b>21 FT.</b> (6.4 M)	7-02104	2793	92.2	3343	110.4	3658	120.8	10'-10"	3.3	16'-4"	5.0
	7-02105	3568	117.8	4118	136.0	4433	146.4	13'-6"	4.1	19'-0"	5.8
	7-02106	4343	143.4	4893	161.5	5208	171.9	16'-2"	4.9	21'-8"	6.6
	7-02107	5118	169.0	5668	187.1	5983	197.5	18'-10"	5.7	24'-4"	7.4
	7-02108	5893	194.6	6443	212.7	6758	223.1	21'-6"	6.6	27'-0"	8.2
	7-02109	6668	220.2	7218	238.3	7533	248.7	24'-2"	7.4	29'-8"	9.0
	7-02110	7443	245.7	7993	263.9	8308	274.3	26'-10"	8.2	32'-4"	9.9
	7-02111	8218	271.3	8768	289.5	9083	299.9	29'-6"	9.0	35'-0"	10.7
7-02112	8993	296.9	9543	315.1	9858	325.5	32'-2"	9.8	37'-8"	11.5	
<b>24 FT.</b> (7.3 M)	7-02404	3648	120.4	4467	147.5	4878	161.1	10'-10"	3.3	17'-2"	5.2
	7-02405	4660	153.9	5479	180.9	5890	194.5	13'-6"	4.1	19'-10"	6.1
	7-02406	5672	187.3	6491	214.3	6902	227.9	16'-2"	4.9	22'-6"	6.9
	7-02407	6684	220.7	7502	247.7	7914	261.3	18'-10"	5.7	25'-2"	7.7
	7-02408	7696	254.1	8516	281.1	8927	294.7	21'-6"	6.6	27'-10"	8.5
	7-02409	8709	287.6	9528	314.6	9939	328.2	24'-2"	7.4	30'-6"	9.3
	7-02410	9721	321.0	10540	348.0	10951	361.6	26'-10"	8.2	33'-2"	10.1
	7-02411	10733	354.4	11551	381.4	11963	395.0	29'-6"	9.0	35'-10"	10.9
7-02412	11745	387.8	12564	414.8	12976	428.4	32'-2"	9.8	38'-6"	11.7	
<b>27 FT.</b> (8.2 M)	7-02704	4616	152.4	5780	190.8	6300	208.0	10'-10"	3.3	18'-1"	5.5
	7-02705	5898	194.7	7060	233.1	7581	250.3	13'-6"	4.1	20'-9"	6.3
	7-02706	7179	237.0	8343	275.4	8863	292.6	16'-2"	4.9	23'-5"	7.1
	7-02707	8460	279.3	9624	317.7	10144	334.9	18'-10"	5.7	26'-1"	7.9
	7-02708	9741	321.6	10905	360.0	11425	377.2	21'-6"	6.6	28'-9"	8.8
	7-02709	11022	363.9	12186	402.4	12706	419.5	24'-2"	7.4	31'-5"	9.6
	7-02710	12303	406.2	13467	444.2	13987	461.6	26'-10"	8.2	34'-1"	10.4
	7-02711	13584	448.5	14748	487.3	15268	504.4	29'-6"	9.0	36'-9"	11.2
7-02712	14865	490.8	16030	529.3	16549	546.4	32'-2"	9.8	39'-5"	12.0	

# N A R R O W C O R R U G A T I O N

## F A R M G R A I N B I N S ( S I L O S )

Diameter Feet Meters	Model Number	Capacity With 13-Inch (330-mm) Floor				Maximum Capacity*		Eave Height		Overall Height	
		Level Grain		Peaked Grain							
		Bushels	M <sup>3</sup>	Bushels	M <sup>3</sup>	Bushels	M <sup>3</sup>	Feet/Inches	Meters	Feet/Inches	Meters
<b>30 FT.</b> (9.1 M)	7-03004	5699	188.2	7292	240.8	7935	262.0	10'-10"	3.3	18'-11"	5.8
	7-03005	7281	240.4	8875	293.0	9517	314.2	13'-6"	4.1	21'-7"	6.6
	7-03006	8863	292.6	10455	346.5	11098	366.5	16'-2"	4.9	24'-3"	7.4
	7-03007	10444	344.9	12038	393.3	12680	415.7	18'-10"	5.7	26'-11"	8.2
	7-03008	12026	397.1	13618	449.7	14261	470.9	21'-6"	6.6	29'-7"	9.0
	7-03009	13607	449.3	15200	501.9	15843	523.1	24'-2"	7.4	32'-3"	9.8
	7-03010	15189	501.5	16783	551.2	17425	575.3	26'-10"	8.2	34'-11"	10.6
	7-03011	16771	553.7	18363	616.2	19006	634.6	29'-6"	9.0	37'-7"	11.5
<b>33 FT.</b> (10.1 M)	7-03012	18352	606.0	19945	662.0	20588	679.8	32'-2"	9.8	40'-3"	12.3
	7-03304	6896	227.7	9013	297.7	9791	323.3	10'-10"	3.3	19'-0"	6.0
	7-03305	8810	290.9	10927	360.5	11705	386.3	13'-6"	4.1	22'-5"	6.8
	7-03306	10724	354.1	12842	424.0	13619	449.7	16'-2"	4.9	25'-1"	7.7
	7-03307	12637	417.3	14754	487.2	15532	512.9	18'-10"	5.7	27'-9"	8.5
	7-03308	14551	480.5	16668	550.5	17446	576.1	21'-6"	6.6	30'-5"	9.3
	7-03309	16465	543.7	18582	613.6	19360	639.2	24'-2"	7.4	33'-1"	10.1
	7-03310	18379	606.8	20497	676.6	21274	702.3	26'-10"	8.2	35'-9"	10.9
<b>36 FT.</b> (11.0 M)	7-03311	20292	670.0	22409	739.8	23187	765.5	29'-6"	9.0	38'-5"	11.7
	7-03312	22206	733.2	24323	803.0	25101	828.7	32'-2"	9.8	41'-1"	12.5
	7-03313	24120	796.4	26237	1094.9	27015	891.9	34'-9"	10.6	43'-9"	13.3
	7-03604	8206	271.0	10953	361.5	11878	392.1	10'-10"	3.3	20'-8"	6.3
	7-03605	10485	346.2	13231	436.9	14156	467.4	13'-6"	4.1	23'-4"	7.1
	7-03606	12762	421.4	15508	512.0	16433	542.5	16'-2"	4.9	26'-0"	7.9
	7-03607	15040	496.6	17786	587.2	18711	617.7	18'-10"	5.7	28'-8"	8.7
	7-03608	17317	571.8	20063	662.4	20988	692.9	21'-6"	6.6	31'-4"	9.5
<b>42 FT.</b> (12.8 M)	7-03609	19595	647.0	22341	737.6	23266	768.1	24'-2"	7.4	34'-0"	10.4
	7-03610	21872	722.2	24618	812.8	25543	843.3	26'-10"	8.2	36'-8"	11.2
	7-03611	24150	797.4	26896	888.0	27821	918.5	29'-6"	9.0	39'-4"	12.0
	7-03612	26427	872.6	29173	963.2	30098	993.7	32'-2"	9.8	42'-0"	12.8
	7-03613	28705	947.9	31451	1278.1	32375	1068.9	34'-9"	10.6	44'-8"	13.6
	7-04204	11170	368.8	15523	512.4	16782	554.0	10'-10"	3.3	22'-4"	6.8
	7-04205	14270	471.2	18623	614.8	19882	656.4	13'-6"	4.1	25'-0"	7.6
	7-04206	17370	573.6	21723	717.1	22982	758.7	16'-2"	4.9	27'-8"	8.4
<b>48 FT.</b> (14.6 M)	7-04207	20471	675.9	24823	819.5	26082	861.1	18'-10"	5.7	30'-4"	9.3
	7-04208	23571	778.3	27923	921.8	29182	963.4	21'-6"	6.6	33'-0"	10.1
	7-04209	26671	880.6	31023	1024.2	32282	1065.8	24'-2"	7.4	35'-8"	10.9
	7-04210	29771	983.0	34123	1126.5	35382	1168.1	26'-10"	8.2	38'-4"	11.7
	7-04211	32870	1085.4	37223	1228.9	38482	1270.5	29'-6"	9.0	41'-0"	12.5
	7-04212	35970	1187.8	40323	1331.2	41582	1372.8	32'-2"	9.8	43'-8"	13.3
	7-04213	39070	1290.1	43423	1769.6	44682	1475.1	34'-9"	10.6	46'-4"	14.1
	7-04804	14590	481.8	21078	695.9	22723	750.2	10'-10"	3.3	24'-1"	7.3
<b>54 FT.</b> (16.5 M)	7-04805	18639	615.4	25127	829.6	26772	883.9	13'-6"	4.1	26'-9"	8.2
	7-04806	22688	749.1	29176	963.2	30821	1017.5	16'-2"	4.9	29'-5"	9.0
	7-04807	26737	882.8	33225	1096.9	34870	1151.2	18'-10"	5.7	32'-1"	9.8
	7-04808	30786	1016.5	37275	1230.6	38919	1284.9	21'-6"	6.6	34'-9"	10.6
	7-04809	34835	1150.2	41322	1364.2	42967	1418.5	24'-2"	7.4	37'-5"	11.4
	7-04810	38884	1283.9	45371	1497.9	47016	1552.2	26'-10"	8.2	40'-1"	12.2
	7-04811	42933	1417.6	49420	1631.6	51065	1685.9	29'-6"	9.0	42'-9"	13.0
	7-04812	46982	1551.3	53469	1765.2	55114	1819.5	32'-2"	9.8	45'-5"	13.8
<b>54 FT.</b> (16.5 M)	7-04813	51031	1685.0	57518	2342.9	59163	1953.2	34'-9"	10.6	48'-1"	14.6
	7-05404	17679	583.8	28006	924.8	30097	993.9	10'-10"	3.3	24'-10"	7.6
	7-05405	22826	753.7	33153	1094.8	35244	1163.9	13'-6"	4.1	27'-6"	8.4
	7-05406	27973	923.6	38300	1264.9	40391	1333.9	16'-2"	4.9	30'-2"	9.2
	7-05407	33120	1093.5	43447	1434.8	45538	1503.8	18'-10"	5.7	32'-10"	10.0
	7-05408	38267	1263.4	48594	1604.7	50685	1673.7	21'-6"	6.6	35'-6"	10.8
	7-05409	43414	1433.3	53741	1774.6	55832	1843.6	24'-2"	7.4	38'-2"	11.6
	7-05410	48559	1603.2	58887	1944.8	60978	2013.5	26'-10"	8.2	40'-10"	12.5
7-05411	53705	1773.1	64034	2114.7	66124	2182.5	29'-6"	9.0	43'-6"	13.3	



**Brock Grain Systems**  
**Chore-Time Brock International**  
 Divisions of CTB, Inc.  
 Milford, IN • Kansas City, MO • Frankfort, IN  
 Phone: 574.658.4191 or 574.658.9323 (International)  
 Internet: [www.brockmfg.com](http://www.brockmfg.com) or [www.ctbworld.com](http://www.ctbworld.com)  
 E-Mail: [brock@brockmfg.com](mailto:brock@brockmfg.com)

\*Maximum Capacity for a bin allows for grain to be at the normal (28-degree) angle of repose, starting one inch (2.5 centimeters) below the eave. The grain capacities listed above are based on 48 pounds per cubic foot (769 kilograms per cubic meter) plus a compaction factor of 6% as outlined in ASAE Standard: ASAE S413. Standard farm bin roof peak capacities vary from 2,000 to 6,000 pounds (907 to 1134 kilograms) depending on bin diameter. In the pursuit of LEADERSHIP THROUGH INNOVATION®, we reserve the right to change specifications without prior notice.

Because you will customize your grain storage system to your unique needs, not all potentially dangerous or harmful situations can be identified by Brock Grain Systems at the time the silo components and accessories are manufactured. Therefore, it is essential that you think safety first and pay close attention to all possible hazards within your storage systems.

BR-1933A/0805