

# BELT CONVEYOR

SEED EDITION



MOVES A WORLD OF GRAIN  
**Hutchinson**  
THE WORLD OVER



*The low profile receiving hopper  
with collapsible spring supported canvas.*

Hopper Clearance — 7-1/2" (19.05 cm)  
(Canvas Collapsed)

Hopper Intake Size — 35" x 65" (88.9 cm x 165.1 cm)

**Capacity of up to 4,000 bph (100 mth)**


***Complimented by Comparison.***

# Portable Top Drive Belt Conveyor


## SEED EDITION

### Dimensions

- TUBULAR HOUSING:** - 10" (25.40 cm) x 14 gauge galvanized by 35' (10.67 m) length.
- BELT:** - 15" (38.1 cm) PVC Crescent pattern with slider bed backing.
- RECEIVING HOPPER:** - Low profile transfer hopper style with collapsible spring supported canvas.
- DISCHARGE SPOUT:** - Adjustable black plastic with 12" (30.48 cm) round outlet.
- DRIVE:** - Drive located at the head end with 6" (15.24 cm) O.D. pulley with snub pulley electric motor or hydraulic motor available.
- UNDERCARRIAGE:** - Dual tube telescoping lift. Uses hand winch and cable. Includes 15" (38.1 cm) wheels. Tires optional.
- OPERATING SPEED:** - 450 feet per minute (137.16 mpm) and up for electric. Variable speed control for hydraulic.
- HORSEPOWER REQUIRED:** - 10 horsepower electric. Hydraulic motor drive also available that requires 1,500 PSI at 15 gallons per minute.
- PRODUCT ADVANTAGES:** - Gentle handling to maintain seed quality.  
 - Exclusive belt alignment guide rollers to maintain belt tracking.  
 - 7-1/2" (19.05 cm) low profile hopper for easy unloading from hopper bottom trailers.  
 - Support wheels at intake end standard for maneuvering.  
 - Capable of handling commodity products in addition to seed handling. Ideal for receiving from bin unloaders.



**ELECTRIC DRIVE AT MAXIMUM INCLINE**



**ELECTRIC DRIVE TRANSPORT POSITION**



**ELECTRIC MOTOR DRIVE**



**HYDRAULIC MOTOR DRIVE  
FLOW CONTROL VALVE STANDARD**



**BELT ALIGNMENT ROLLER GUIDE**



A Division of GLOBAL Industries, Inc.  
 P.O. Box 629 • Clay Center, KS 67432  
 Ph. (785) 632-2161 • FAX (785) 632-5964  
[www.hutchweb.com](http://www.hutchweb.com)

Call Toll-Free  
**1-800-523-6993**  
 For more information.

Distributed by: